


and the first firs

4:01	DATA	MPEG-TS MPEG-TS ·· MPEG-TS	LENGTH	FLAG FRAGMENT OFFSET	HEADER CHECKSUM	SOURCE IP ADDRESS	DESTINATION IP ADDRESS	OPTION	
	UDP HEADER RTP (TCP HEADER)		TOS	ENTIFIER	PROTOCOL	SOURCE I	DESTINATION	OPT	
	IP UDP H HEADER (TCP I		VERSION LENGTH	IDENT	TTL				



## FIG 6

тт		Т	
SESSION STATUS	VIDEO PAUSE	AUDIO ACTIVE	••
MEDIA	VIDEO	AUDIO	<b>.</b> .
PERMIT ADDRESS	43.11.135. 0/24	43.11.135 30/24	• •
SOURCE DESTINATION PERMIT ADDRESS ADDRESS	00007011200 43.11.135.1 43.11.135.29	00007011330 43.11.135.17 43.11.135.29	
SOURCE ADDRESS	43.11.135.1	43.11.135.17	
TIME	200007011200	200007011330	
SESSION	VIDEO CONFERENCE 20	IP PHONE	
SESSION	00123	01543	

6/13

e,

affection from the transfer of the transfer of




FIG.9

